DRAFT.... 3553 (8 Apr 71) CIA-RDP86-00244R000200520025-1

Design Considerations for PSD Addition (OBGI Map Library Addition)

One (1) Working Level @ 23,800 Square Feet

Minimum functional/design/structural problems are faced with a one level design.

Due to the fact that a one level structure would be built on existing grade north of the existing PSD Building, few, if any, floor loading problems would be encountered. The slab on grade approach negates the need for a "special" structure (heavier columns and floor slabs to accommodate the loading conditions if built above grade).

The single level approach also eliminates any design/aesthetic problems inasmuch as the addition would be built at a level suppressed below that of the surrounding road grade (road grade is one level higher than that of the first floor grade and approximately equal to the second floor grade).

Several design treatments could be given to this one level addition. It could be completely covered by earth thus creating a totally enclosed "vault" area., Second, if natural light is required, skylights could be aesthetically applied to the critical areas in forms that would "read" to the outside observer as a sculpture garden/park area on top of the subgrade structure. Third, if greater fenestration was required in key areas, light wells could be designed into the structure to form sublevel gardens and/or leisure areas.

It must be remembered that this sublevel approach need not be entirely void of any form of exterior fenestration.

Approved For-Release 2001/04/05: CIA-RDP86-00244R000200520025-1

Inasmuch as nothing of any real permanency (such as mechanical equipment, structure, etc.) would be placed above this one level structure, future vertically building expansion could very easily take place in this area with a minimum amount of preparation (removing of the earth cover, sculpture, planting, etc.).

Two (2) Working Levels @ 12,000 Square Feet each

A physical split in Map Library function would occur in a two level design.

Separate (from the main building) vertical transportation would have to be provided for the Map Library workers.

The second floor would have to be designed for 150 pounds per square inch loading versus the usual 100 pounds per square inch office loading. This would increase the cost of the basic structure.

A two level structural appendage on the north end of the PSD Building poses a very accute aesthetic problem. If two levels are added over the existing two level PSD structure, the result is going to be a building with a much stronger visual impact. The repetative aspects of the buildings modular facia are only going to be made more intense. One redeeming factor in the design as presented is the service "tower". This "tower" represents a terminus of the regimented pattern in the proposed four story structure (main structure). If a two story structure were built on the north end of the service tower, the mass of such a structure would not be able to contend with the visual impact brought on by the massive proportions of the four level structure. A two story addition would "read" as merely an aftergrowth

Approved For Release 2001/04/05: CIA-RDP8 - 00244R000200520025-1

and not a part of an aesthetically uniform and functionally sound design package.

Future vertical expansion could occur in such a case provided that the initial structure was designed to take the additional structural loading. This, of course, would result in a design beyond the load units of the initial two story structure thus resulting in further structural/cost problems.

Three to Four Working Levels @ 8,000 Square Feet to 6,000 Square Feet, Respectively Basically all the problems stated for the two level structure apply to the three and four level structure with some additional complications.

A further breakdown of function would take place especially in the case of the four level design. A 24,000 square foot office would thus be broken down into a minimum of four 6,000 square foot segments.

Due to this breakdown the efficiency of the office layout would suffer as a result of an increase in corridor and mechanical space.


Approved For Release 2001/04/05 : CIA-RDP86-00244R000200520025-1

7 April 1971 BPS/OL

Revised Printing Services Building Addition Requirements

	Gross Sq. Ft.
Map Library Addition	23,800
2-Floor Addition	77,688
Core Extension	9,600
Total PSB Addition	111,088

	Net to		
	Net Sq. Ft.	Gross Add	Gross Sq. Ft.
OBGI	51,262	25,631	76,893
OBGI (growth)	6,500	3,250	9,750
OP	9,897	4,948	14,845
Core Extension		9,600	9,600
	67,659	$\overline{43,429}$	111,088






Approved For Release 2001 CIA-RDP86-60244R000200520025-1

SPACE BY TYPE - NEW PSB ADDITION

	Gross Square Feet			
	Office	Special	Storage	<u>Total</u>
OBGI OBGI Growth OP Core Extension	39,437 3,750 14,845 9,600	16,500	20,956 6,000	76,893 9,750 14,845 9,600
•	67,632	16,500	26,956	111,088

25X1A





Approved For Release 2001/04/05: CIA-RDP86-00244R000200520025-1

7 April 1971 BPS/OL

PSB Addition - Component Space

Component	Net Sq. Ft.	Action 25X1A6a
25X1A6a		<u> </u>
OBGI/DDI fr	16,065	Release
OBGI/DDI fr Hqs Bldg	10,222	New Planned Utilization
OBGI/DDI fr Mag Bldg	24,975	Release or New Planned
		Utilization
OBGI Equip Growth Factor	6,500	
OP Selected Elements fr	9,897	
Mag Bldg		
	67,659	

Space to be Released

25X1A6a



16,785 Net Sq. Ft. Gov't Owned Possible Release of 24,975 Sq. Ft. or approximately 3 typical floors.

Space Released and/or Made Available for Planned Utilization

25X1A6a

	16,785 Net Sq. Ft.	Gov't Owned
Mag Bldg	24,975 " " "	Release Rental Space to GSA
OBGI/DDI (Hqs Bldg)	10,222	or use for Planned Utilization Available for Planned Utilization
	51,982	



Approved For Release 2001/04/05 : CIA-RDP86-00244R000200520025-1 **SECRET**

7 April 1971 BPS/OL

COST TABULATION OF CONSTRUCTION AND A&E WORK FOR 1973

NOTE: All amounts shown are in thousands of dollars.

		GSA-10% A&E	GSA-6% CONTRACT	
	CONSTRUCTION	and	SUPER VISION and	
DESCRIPTION OF ITEM	COSTS	ADMIN COSTS	INSPECTION COSTS	TOTAL
				
Printing Services Building Addition				
5				
111,088 Square Feet of Space (gross);				
25X9				
A. Building to the 5 ft. line	\$ 4,073	\$ 407	\$ 244	\$ 4,724
25X9	Ψ 4,070	φ 1 07	ψ 2 44	ψ 1,721
B. Parking (Surface for vehicles)	150	15	9	174
b. Farking (Surface for	130	10	9	1/4
C. Site work and exterior utilities	512	51	31	594
C. Site work and exterior utilities	512	31	21	394
		and the same of th		
TOTALS	\$ 4,735	\$ 473	\$ 284	\$5,492
			•	•